



Sealant Products

Contents.

Find what you need quickly...

Fixing Point Branded Sealants	03
Silicones	04
Fire Rated Silicones & PU Foams	05
Polyurethane Sealants	06
Polymer Based Sealants	07
Butyl Tapes	10
Tapes	11
Paraphalt	13
Cleaning Products	14
Repair Products	15
Fillers	16

Fixing Point Branded Sealants.

Gun Grade Butyl



Application

- Provides a durable air and waterproof seal between overlapping sheets.
- Sealing foam fillers.
- General bedding.
- High performance.

Product Code	Size	Description	Box Quantity
FPHPBUTYLGREY	310ml	Grey Gun Grade Butyl	25
FPHPBUTYLBLACK	310ml	Black Gun Grade Butyl	25
FPHPBUTYLWHITE	310ml	White Gun Grade Butyl	25

Fire Rated Acrylic Sealant



Application

- To seal low movement joints where fire rating is required.
- Ideal for sealing irregular or uneven gaps around service penetrations, door casing and sills.
- Sealing fire protection boards and partitioning.
- 4 hour fire rated.

Product Code	Size	Description	Box Quantity
INTUMESCENT FIREGRADEACRY	310ml	Fire Rated Acrylic Sealant	25

Silicones.

Parasilico AM 85



Application

- Weather seal with an adhesive strength without primer on the majority of materials used in the building industry.

Product Code	Size	Description	Box Quantity
SILICONELOW CLEAR	310ml	Clear Silicone Low Modulus	25
SILICONELOW WHITE	310ml	White Silicone Low Modulus	25
SILICONELOW BLACK	310ml	Black Silicone Low Modulus	25
SILICONELOW GOOSEWING	310ml	Goosewing Silicone Low Modulus	25
SILICONELOW ALUMINIUM	310ml	Aluminium Silicone Low Modulus	25
SILICONELOW GREY	310ml	Grey Silicone Low Modulus	25
SILICONELOW BROWN	310ml	Brown Silicone Low Modulus	25
SILICONELOW GREEN	310ml	Green Silicone Low Modulus	25
SILICONELOW ANTHRACITE	310ml	Anthracite Silicone Low Modulus	25

Other colours available, please consult a member of our sales team.

Dow Corning 791



Application

- For weather sealing of curtain walling, building facades and expansion joints. Also suitable for use as a frame sealant.

Product Code	Size	Description	Box Quantity
DOWCORNING791 BLACK	310ml	Dow Corning 791 Black Silicone	12
DOWCORNING791 WHITE	310ml	Dow Corning 791 White Silicone	12
DOWCORNING791 ANTHRACITE	310ml	Dow Corning 791 Anthracite Silicone	12
DOWCORNING791 CLEAR	310ml	Dow Corning 791T Clear Silicone	12
DOWCORNING791 STONE	310ml	Dow Corning 791 Stone Silicone	12

Dow Corning C60



Application

- It has excellent adhesion to a range of porous and non-porous substrates including PVC-U, glass, anodized and painted aluminium, metal cladding, brickwork, painted and un-painted wood.

Product Code	Size	Description	Box Quantity
DOWCORNINGC60 CLEAR	380ml	Dow Corning C60 Silicone Clear	20
DOWCORNINGC60 MAGNOLIA	380ml	Dow Corning C60 Silicone Magnolia	20
DOWCORNINGC60 WHITE	380ml	Dow Corning C60 Silicone White	20

Fire Rated Silicones.

Dow Corning 700



Application

- For sealing of expansion joints and pipe and cable penetrations in fire rated structures.

Product Code	Size	Description	Box Quantity
DOWCORNING700 FIRESTOP	380ml	Dow Corning 700 Fire Rated Silicone	12

Soudal Fire Rated Silicone B1 FR



Application

- Fire retardant expansion and connection joints in the construction industry.

Product Code	Size	Description	Box Quantity
SOUDALFIRESILICONE B1WHITE	310ml	Soudal Fire Rated Silicone B1 FR	15

PU Foams.

Expanding Foam



Application

- Filling, sealing and insulating of joints between walls and ceilings, around window and door frames, between prefabricated construction elements and around cables and pipes.

Product Code	Size	Description	Box Quantity
EXPFOAM	750ml	Expanding Foam Hand Applied	12

Fire Retardant Foam



Application

- All applications where fire retardant characteristics are required such as:
- Sealing of all openings in roof construction.
 - Sealing of cable and pipe penetrations.
 - Bonding of insulation materials.
 - Improving thermal insulation in cold store areas.

Product Code	Size	Description	Box Quantity
FIREFOAM	750ml	Fire Retardant Foam Hand Applied	12
FIREFOAMGUN	750ml	Fire Retardant Foam Gun Applied	12

Polyurethane Sealants.

Soudaflex 40 FC



Application

- All sealing and bonding applications in the building industry.
- Structural bondings in vibrating constructions.
- Sealing of shrinking joints in concrete floors.

Product Code	Size	Description	Box Quantity
SODAFLEX40 GREY	310ml	Soudaflex 40 FC Grey	12
SODAFLEX40 WHITE	310ml	Soudaflex 40 FC White	12
SODAFLEX40 BLACK	310ml	Soudaflex 40 FC Black	12

Detaflex 4000 Polyurethane



Application

- Is suited for all elastic joints and construction joints in the building industry.
- Has an excellent adhesion to most materials such as wood, concrete and metals.

Product Code	Size	Description	Box Quantity
DETAFLEX4000 GREY	310ml	Detaflex 4000 Polyurethane Grey	25
DETAFLEX4000 BLACK	310ml	Detaflex 4000 Polyurethane Black	25

Dow Insta-Stik Multi Purpose Adhesive



Application

- Quick and easy to use it is ideal for fixing plasterboard, insulation board and most common building substrates.

Product Code	Size	Description	Box Quantity
DOWINSTA-STIK	750ml	Dow Insta-Stik Multi Purpose Adhesive	12

Polymer Based Sealants.

Geocel 945 High Mod MS Polymer



Application

For sealing movement joints to:

- Building sub structures.
- Expansion joints in water retaining structures.

Product Code	Size	Description	Box Quantity
GEOCEL945BLACK	290ml	Geocel 945 High Mod MS Polymer Black	12
GEOCEL945GREY	290ml	Geocel 945 High Mod MS Polymer Grey	12
GEOCEL945WHITE	290ml	Geocel 945 High Mod MS Polymer White	12

Geocel 925 Joint Sealant



Application

For sealing joints to building facades where:

- High movement is anticipated.
- Non staining is a requirement.
- Prestige finish is important.
- Extreme weather conditions are expected.

Product Code	Size	Description	Box Quantity
GEOCEL925BUFF	380ml	Geocel 925 Buff	20

Geocel 201 Polysulphide



Application

- Ideal for sealing against pre-cast facing and cladding panels, wall tiles, granite, metal or timber window frames, masonry and certain glazing systems.

Product Code	Size	Description	Box Quantity
GEOCEL201BLACK	380ml	Geocel 201 Polysulphide Black	12

Geobond Marine Hybrid Polymer Sealant



Application

- Above and below waterline bonding.
 - GRP superstructure bonding.
 - Bonding components to GRP deck.
 - Creating watertight bonded joints throughout
- It can also be used for internal bonding and sealing solutions.

Product Code	Size	Description	Box Quantity
GEOBOND MARINE	290ml	Geobond Marine Hybrid Polymer Sealant White	12

Polymer Based Sealants.

Geocel Trade Mate Roofers Seal



Application

- Can be used for most roofing applications and repairs.
- It will adhere to various roofing substrates including lead, bitumen and galvanised steel.
- Ideal for sealing around gutters, down pipes, lead flashing and corrugated roofing.

Product Code	Size	Description	Box Quantity
TRADEMATEGREY	310ml	Geocel Trade Mate Roofers Seal Grey	12
TRADEMATEBLACK	310ml	Geocel Trade Mate Roofers Seal Black	12

Geocel The Works Multi-Use Sealant & Adhesive



Application

- Multi-use.
- Will work on any surface.

Product Code	Size	Description	Box Quantity
THEWORKS	290ml	The Works Multi-Use Sealant & Adhesive	6

Soudal Fix All Hybrid Polymer



Application

- All common bonding and sealing applications, both in and outdoor.

Product Code	Size	Description	Box Quantity
SODALFIXALL CRYSTAL	290ml	Soudal Fix All Crystal Clear Hybrid Polymer	12

Polymer Based Sealants.

Parabond Construction Hybrid Polymer



Application

- Bonds without primer on almost all materials used in the construction industry.
- For interior and exterior use.

Product Code	Size	Description	Box Quantity
PARACONWHITE	290ml	Parabond Construction Hybrid Polymer White	25
PARACONBLACK	290ml	Parabond Construction Hybrid Polymer Black	25

Parabond Fast Hybrid Polymer



Application

- Bonds without primer on almost all materials used in the construction industry.
- For interior and exterior use.
- The assembled parts can be manipulated relatively fast after gluing.

Product Code	Size	Description	Box Quantity
PARAFASTBLACK	290ml	Parabond Fast Hybrid Polymer Black	12
PARAFASTWHITE	290ml	Parabond Fast Hybrid Polymer White	12

Butyl Tapes.

Butyl Strip



Application

- Creates an excellent seal in situations such as side and end lap joints.
- Grey.

Product Code	Description	Box Quantity
BUTYL6X5X9.6	6mm x 5mm x 9.6m Butyl Tape	30
BUTYL6X5X9.6W	6mm x 5mm x 9.6m Butyl Tape (White)	30
BUTYL9X1.5X30	9mm x 1.5mm x 30m Butyl Tape	24
BUTYL9X3X15	9mm x 3mm x 15m Butyl Tape	24
BUTYL12X1X45	12mm x 1mm x 45m Butyl Tape	20
BUTYL12X6X8	12mm x 6mm x 8m Butyl Tape	20
BUTYL18X4X12	18mm x 4mm x 12m Butyl Tape	14
BUTYL19X3X15	19mm x 3mm x 15m Butyl Tape	14
BUTYL50X3X15	50mm x 3mm x 15m Butyl Tape	6
BUTYL50X6X5	50mm x 6mm x 5m Butyl Tape	6

Membrane Tape



Application

- Sealing membranes & vapour barriers.
- Black.

Product Code	Description	Box Quantity
BUTYL15X2X22.5	15mm x 2mm x 22.5m Butyl Tape	20

Butyl Bead



Application

- Particularly recommended for large corrugated end lap sheet profiles.
- Grey.

Product Code	Description	Box Quantity
BEAD3X16	3mm x 16m Butyl Bead Tape	30
BEAD4X12	4mm x 12m Butyl Bead Tape	30
BEAD6X8	6mm x 8m Butyl Bead Tape	24
BEAD8X6	8mm x 6m Butyl Bead Tape	20
BEAD12X4	12mm x 4m Butyl Bead Tape	14

Polytite



Application

- Sealing side laps of liner panels.
- White.

Product Code	Description	Box Quantity
POLYTITE50	50mm x 1mm x 35m Butyl Liner Tape White	6
POLYTITE100	100mm x 1mm x 35m Butyl Liner Tape White	4

Tapes.

PVC Tape



Application

- Isolation to prevent bi-metallic reactions for example separating aluminium sheet from a galvanised purlin.

Product Code	Description	Colour
PVC50	PVC Tape 50mm x 33m	Black
PVC75	PVC Tape 75mm x 33m	Black
PVC100	PVC Tape 100mm x 33m	Black

Aluminium Foil Tape



Application

- For sealing profiled sheets and joining foil face insulation boards.

Product Code	Description	Colour
FOIL50	Foil Tape 50mm x 45m	Silver
FOIL75	Foil Tape 75mm x 45m	Silver
FOIL100	Foil Tape 100mm x 45m	Silver

Gaffa Tape



Application

- Bundling.
- Masking/Protection
- Packaging, wrapping and sealing.
- Polyethylene sheet jointing.
- General maintenance.

Product Code	Description	Colour
GAFFA50	Gaffa Tape 50mm x 33m	Black
GAFFA75	Gaffa Tape 75mm x 33m	Black
GAFFA100	Gaffa Tape 100mm x 33m	Black

EPDM Foam Tape



Application

- Air sealing; Barrier tape.
- Anti-Vibration.
- Construction seal.
- Isolating & thermal.

Product Code	Description	Colour
EPDMFOAMTAPE	EPDM Foam Tape	Black

Various sizes available, please consult a member of our sales team.

Tapes.

Expanding Foam Tape



Application

- Filling irregular gaps between brickwork and timber/steel.
- Air sealing.

Scrim Tape



Application

- Membrane bonding.
- Offers good bonding on uneven surfaces.

Product Code	Description	Colour
EXPTAPE	Expanding Foam Tape	Black

Product Code	Description	Colour
SCRIM50	Scrim Tape 50mm x 50m	Clear

Various sizes available, please consult a member of our sales team.

Cold Bridging Tape



Application

- Cold bridging.

Product Code	Description	Colour
CB38X4	Cold Bridging Tape 38mm x 4mm x 10m	Black

Paraphalt.

Paraphalt Liquid



Application

- Waterproof coating and renovation of roofs and guttering.

Product Code	Size	Description
PARAPHALT5	5kg	Paraphalt Liquid
PARAPHALT25	25kg	Paraphalt Liquid

Paraphalt Bitumen



Application

- For waterproof repairs on bituminous surfaces.

Product Code	Size	Description
PARAPHALTBITUMEN	310ml	Paraphalt Bitumen

Parabond Flex Seal



Application

- Seamless coating for a wide range of projects and nearly all surfaces.

Product Code	Size	Description
PARABONDFLEXSEAL	1L	Parabond Flex Seal

Paraphalt Primer



Application

- Considerably improves adhesion between the base surface and the material to be applied.

Product Code	Size	Description
PARAPHALTPRIMER	5kg	Paraphalt Primer

Cleaning Products.

Solvent Gun & Foam Cleaner



Application

- Cleans not cured foam.
- Cleans tools such as applicator guns.
- Good degreasing and cleaning properties.

Product Code	Size	Description	Box Quantity
GUNCLEANER	500ml	Solvent Gun & Foam Cleaner	12

Silicone & MS Polymer Remover



Application

- Removal of old silicone residue, spilled silicone or spilled MS polymers from different kinds of surfaces.
- Removes all residue of spilled silicone.

Product Code	Size	Description	Box Quantity
SEALANTREMOVER	400ml	Silicone & MS Polymer Remover	6

Repair Products.

Touch N Go Paint



Application

- Touching up any small scratches or to cover up cut ends.
- Available in many BS and RAL colours.

Product Code	Size	Description
T/G	250ml	Touch N Go Paint

Touch Up Sealer Paste



Application

- Commonly used in association with coated metal fabrications such as fascias and wall claddings to provide weather tight seals between panels or to be used as a filler.

Product Code	Size	Description
SEALPASTE	132g	Touch Up Sealer Paste

Aerosol Spray Paint



Application

- Small scale cladding repairs.
- Available in many BS and RAL colours.

Product Code	Size	Description
AEROSOLSPRAY	400ml	Aerosol Spray Paint

Aerosol Primer




Application

- Used to leave a good smooth surface before spraying paint.

Product Code	Size	Description
PRIMERAEROSOL	500ml	Aerosol Primer

Fillers.

Fillers are made to order so please state the profile and manufacturers names to be sure the correct filler is produced.



Courtesy of Brett Martin.

Flute

There are 3 options when specifying which flute you require – small, large or pairs which is a combination of both.

- Small is usually used under the sheet at the eaves.
- Large is usually used at the top of the sheet at the ridge.
- Pairs will be both the small and large flute.

Material

Fillers are available in a standard polyethylene or higher density EPDM 'Supaseal' material.

Self-adhesive fillers

Can be supplied with butyl tape applied to the base, profile or both.

Base depth

If not specified otherwise, fillers will be manufactured with a 6mm base. Extended bases are available on request.

Ventilated fillers

A variety of venting options to allow air flow including trimmed profile, ventilation channels, mesh inserts and ferrule vents.

Angle cut fillers

Fillers to be fitted along roof hips and valleys must be cut to the angle formed by the flashing or valley and short dimensions of the profiled sheet. It must also be determined if the filler is left or right handed.

Application

Seals the eaves and ridges against bird & insect ingress.

Product Code	Colour	Description	Quantity
FILLPOL	Black, White or Both	Polyethylene Profiled Foam Fillers	Each
FILLSUP	Black or White	Supaseal Profiled Foam Fillers Higher density than standard PEL	Each