

Self-Drilling and Self-Tapping Fasteners

1 Material

- 1.1. These products are based on low carbon steel/stainless steel.
 - 1.2. Some fasteners also contain colour pigments in moulded nylon heads.
-

2 Health Hazards

- 2.1. Materials are non-volatile and have low toxicity.
 - 2.2. The major ingredients can be regarded as essentially harmless.
 - 2.3. Some fasteners are plated with zinc or other anti-corrosion coatings and may have a chromate passivation treatment and/or a lubricant coating.
 - 2.4. Although all products are washed at the factory, very small residual traces of plating solutions etc may remain after manufacture.
 - 2.5. Self-drilling fasteners produce swarf as part of the installing process.
-

3 Storage & Handling

- 3.1. Store in dry conditions.
 - 3.2. Always wash your hands immediately after handling plated products and whenever possible wear gloves.
 - 3.3. Never allow plated products or gloves that have been used to handle plated products to come into contact with food or drink, or cups and plates etc that will be used for food or drink.
 - 3.4. Avoid prolonged exposure and do not smoke or eat whilst handling plated goods.
 - 3.5. Wear eye protection during installation.
-

4 Fire Hazards

- 4.1. Non-combustible.
-

5 Other Precautions

- 5.1. Do not expose to temperature in excess of 200°C.
 - 5.2. Do not try to weld these products.
-

6 Additional Information

- 6.1. Advice on the use of this product, please contact Fixing Point using the details located at the bottom of the document.
-